Technical data sheet

Junction box X 10 with terminal strip

Item number: 2005206





Junction box with terminal strip for the connection of cables and lines indoors and in outdoor areas. Rectangular design with knock-out entries. Suitable for wall and ceiling mounting with the option to fasten outside, inside or to mount via the corner domes. Particularly impact resistant with IK09. Cover with quick lock, sealable. Made from halogen-free and UV-resistant materials.

With 5 terminal strips of 4 terminals each.

Junction box according to DIN EN 60670. Flame-resistant to DIN EN 60695/2/11, test temperature 650 °C. Impact resistance IK09 according to DIN EN 50102. Protection rating IP67 according to DIN EN 60529.



























Polycarbonate

M	as	ter	da	ıta

Item number	2005206
Type	X10 T LGR
Description 1	Junction box
Description 2	with terminal strip
Manufacturer	OBO
Dimension	190x150x125
Colour	Light grey; RAL 7035
Material	Polycarbonate
Smallest sales unit	1
Unit of quantity	Piece
Weight	72 kg
Weight unit	kg/100 pc.


Technical data sheet

Junction box X 10 with terminal strip






Dimensions



191 mm
151 mm
126 mm



Technical data

Expandable	yes	
No. of entries	10	
Type of entry	Cuttable stepped membrane	
Type of housing penetration	Pre-marking	
Measured insulation voltage Vi	750 V	
Equipment	Terminal	
Cover	Not transparent	
Cover fastening	Screwed	
Entry from rear	no	
Entries	10 x Ø20/25/32	
Explosion-tested version	no	
Flame-resistant	acc. to VDE 0471/DIN 695 Part 2-1, test temperature 650°C	
Shape	Rectangular	
Fibre-glass reinforced	yes	
Halogen-free	yes	
Clear internal dimensions	177x137x110 mm	
Max. Conductor cross-section	10 mm²	
With screening	no	
with lid	yes	
Mounting type	Wall/ceiling mounting	
Nominal cross-section, max.	10 mm²	
Nominal cross-section, min.	4 mm²	
Nominal voltage	750 V	
Sealable	yes	
Impact-resistant	yes	
Protection rating	IP67	
Protection rating IK code	IK09	
Permitted temperature range,	60 °C	
max.		

Technical data sheet Junction box X 10 with terminal strip



Item number: 2005206

Technical data		
	Permitted temperature range, min.	-5 °C
	Weatherproof	yes